

## Unano —SERIES—

### Fine Pitch to Move Crossover Between Rental and NPP Display



Energy Saving



HDR Processing Technology



Slim & Lightweight



Easy Maintenance



reddot award 2019  
best of the best




DESIGN  
AWARD




### APPLICATIONS



Conference



Broadcast



Exhibition



House of Worship

### FEATURES

- PPM (Popping-up Protection Mechanism) – effective collision prevention
- Concave curve and patented fast locks – creative and fast installation
- Slim and lightweight cabinet – easy maintenance
- HDR processing technology – stunning visual experience



# SPECIFICATIONS

Parameter	Value		
Model	Unano1.3	Unano1.5	Unano1.8
Pixel Pitch	1.3mm	1.5mm	1.8mm
Environment	Indoor	Indoor	Indoor
LED Type	3-in-1 Black SMD	4-in-1 Black SMD	3-in-1 Black SMD
Brightness	600 cd/m <sup>2</sup>	800 cd/m <sup>2</sup>	800 cd/m <sup>2</sup>
Pixel Density	522,257 pixels/m <sup>2</sup>	409,600 pixels/m <sup>2</sup>	293,769 pixels/m <sup>2</sup>
Module Size (W×H)	221.4mm x 166.05mm	221.4mm x 166.05mm	221.4mm x 166.05mm
Panel Size (W×H×D)	442.8mm x 498.15mm x 62mm	442.8mm x 498.15mm x 62mm	442.8mm x 498.15mm x 62mm
Panel Resolution	320x 360 dots	284x318 dots	240x 270 dots
Aspect Ratio (W:H)	8:9	8:9	8:9
Panel Weight	7 kg	7 kg	7 kg
Material	Die-cast Magnesium	Die-cast Magnesium	Die-cast Magnesium
Ingress Protection	IP50	IP50	IP50
Operating Temperature/Humidity	-10°C to 40°C/10% - 80% RH	-10°C to 40°C/10% - 80% RH	-10°C to 40°C/10% - 80% RH
Maintenance	Front – Module Rear - Other Components	Front – Module Rear - Other Components	Front – Module Rear - Other Components
Curve (Convex - Concave)	0° to 6°(optional)	0° to 6°(optional)	0° to 6°(optional)
Viewing Angle (H/V)	160°/160°	170°/170°	160°/160°
Contrast Ratio	5,000:1	6,000:1	5,000:1
Input Power/Panel (Max.)	150 W	150 W	150 W
Input Power/Panel (Ave.)	50 W	50 W	50 W
Refresh Rate	3,840 Hz	3,840 Hz	3,840 Hz
Input Voltage	100 - 240 VAC	100 - 240 VAC	100 - 240 VAC
Input Power Frequency	50 - 60 Hz	50 - 60 Hz	50 - 60 Hz
Standard Mounting Configuration	Hanging, Stacking	Hanging, Stacking	Hanging, Stacking
Certification	TUV-CE/UL/CB/CCC/FCC/RCM/RoHS	TUV-CE/UL/CB/CCC/FCC/RCM/RoHS	TUV-CE/UL/CB/CCC/FCC/RCM/RoHS

Note: Specifications are for reference only and are subject to change without notice.

# DIMENSIONS

